



## Documentation for Download Tool

---

## Table of Contents

Table of Contents	2
Download Tool	3
License	3
DownloadTool 4.x compatibility	3
Download	3
Requirements	4
User guide v4.x	5
Server configuration	5
Download files and folders	6
Log	6
Change log for v4.x	7
Download Tool 4.x	7
v4.1	7
Language pack	8
Spanish translation	8
Create a new language	9
=	10

# Download Tool

OKMDownload Tool is a Windows application that allows you to download from the OpenKM repository.

## License



**Download Tool for WINDOWS is licensed under the terms of the [EULA - OpenKM End User License Agreement](#) as published by OpenKM Knowledge Management System S.L.**

This program is distributed WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the [EULA - OpenKM End User License Agreement](#) for more details.

## DownloadTool 4.x compatibility

DownloadTool version	OpenKM Compatibility		Status
	Professional	Community	
4.1	Version 8.1.15.	Not compatible.	Active

## Download

- OpenKM Download Tool 4.x is available at [OpenKM Download Center](#).

## Requirements


---

Before running the application be sure you get installed Visual C++ Redistributable for Visual Studio.

- Windows installer 4.5.
- .NET Framework 4.8.0 ([x86 or x64](#)).
- Visual C++ Redistributable for Visual Studio 2012 ([x86 or x64](#)) (Recommended).

## User guide v4.x

DownloadTool is a Windows application that allows you to download files or folders from OpenKM.



## Server configuration

Choose **File / Configuration** menu option to show the configuration popup.

The available configuration parameters are:

Property	Type	Description
<b>Language</b>	<b>Select</b>	User interface language.
<b>User</b>	<b>String</b>	User id for accessing OpenKM. user1
<b>Password</b>	<b>String</b>	The password of the user. pass1

<b>Host</b>	<b>String</b>	OpenKM URL. <input type="text" value="http://localhost:8080/openkm/"/>
<b>Use personal token</b>	<b>Bool</b>	The authentication will be done with the access token.
<b>Personal token</b>	<b>String</b>	The personal access token <input type="text" value="okmpat-Ky1t16O2Rwx4ttPmOK0R"/>

To accept configuration parameters changes, click **Accept** button.

## Download files and folders

1. First, select the path where you want to download the file or folder.
2. Then, from the Explorer form, select the file or folder you wish to download.
3. Finally, the app will display the total number of documents that were downloaded.

## Log

In **My Documents/OpenKM** there's a file log called **OKMDownload.log** with a complete log trace.

## Change log for v4.x

---

### **Download Tool 4.x**

#### **v4.1**

- In progress

## Language pack

The application can work with several languages, there are set the languages terms definitions.



Sometimes translations are not fully completed and some terms are missing. The "en-GB" is used to identify which are the missing terms and how many are.

When a term is missing in other languages the "en-GB" term is used in its place.



en-GB translation cannot be removed.

## Spanish translation

```
# Main menu
mainmenu.file=Fichero
mainmenu.configuration=Configuración
mainmenu.exit=Salir
mainmenu.help=Ayuda
mainmenu.about=Acerca de...
mainmenu.configuration.server=Configurar servidor
mainmenu.help.documentation=Documentación en línea
mainmenu.help.logfile=Abrir archivo log
mainmenu.upload=Subir
mainmenu.download=Descargar

# Buttons
button.accept=Aceptar
button.cancel=Cancelar
button.close=Cerrar
button.search=Buscar
button.refresh=Refrescar
button.crop=Recortar
button.restore=Restaurar
button.save=Guardar
button.skip=Omitir
button.next=Siguiente
button.rename=Renombrar
button.add=Añadir

# Application forms
form.main.title=OKMDownloadTool
form.about.title=Acerca de

# Application messages
message.alert.message=En proceso, por favor espere...
message.exists.folder=La ruta de destino no existe.
message.exit.app=¿Desea salir de la aplicación?
message.connection.error=Error de conexión con el servidor.
message.app.requirements.adobe=Para un correcto funcionamiento se requiere instalar Adobe Reader.
message.successful=Correcto

# Form configuration
form.configuration.name=Configuración del servidor
form.configuration.language=Idioma
form.configuration.version=Versión de OpenKM
form.configuration.userName=Usuario
form.configuration.password=Clave
```

```
form.configuration.host=Host
form.configuration.error.msg=El campo {0} no puede ser vacio
form.configuration.button.accept=Aceptar
form.configuration.button.cancel=Cancelar
form.configuration.button.test=Prueba
form.configuration.test.ok=Conexión establecida
form.configuration.test.error=La prueba de conexión ha fallado!!!
form.configuration.connection.error=La conexión ha fallado!!!
form.configuration.label.addMetadata=Añadir grupo de metadatos
form.statusbar.message.connecting=Conectando...
form.statusbar.message.test.connection=Probando conexión...
form.configuration.useToken=Utilizar token personal
form.configuration.personalToken=Token personal

# Form search
form.search.title=Buscar
form.search.msg.min.char=Como mínimo debe escribir 3 caracteres
form.search.msg.empty=La consulta no ha devuelto ningún resultado
form.search.button.search=Buscar
form.search.button.cancel=Cancelar

# Explorer form
form.explorer.form.name=Editar documentos
form.explorer.context.taxonomia=Taxonomia
form.explorer.context.plantilla=Plantillas
form.explorer.context.usuario=Personal
form.explorer.button.edit=Editar
form.explorer.button.select=Seleccionar
form.explorer.button.searchFolder=Buscar carpeta
form.explorer.button.searchDoc=Buscar documento
form.explorer.button.searchMail=Buscar mail
form.explorer.button.searchrecord=Buscar registro
form.explorer.button.exit=Salir
form.explorer.button.sign=Firmar
form.explorer.dataGrid.column.name=Nombre
form.explorer.dataGrid.column.author=Autor
form.explorer.dataGrid.column.version=Version
form.explorer.dataGrid.column.date=Fecha
form.explorer.dataGrid.column.size=Tamaño
form.explorer.dataGrid.column.from=De
form.explorer.tooltip.encrypted=Encriptado
form.explorer.tooltip.signed=Firmado electrónicamente
form.explorer.tooltip.lock=Bloquear
form.explorer.tooltip.edit=Editar

# Download form
form.download.label.downloadPath=Ruta de descarga:
form.download.message.selectDownloadPath=Seleccione la ruta de descarga
form.button.download=Descargar
form.button.cancelDownload=Cancelar descarga
form.download.completed=Descarga completada.
form.download.message.cancelDownload=Descarga cancelada.
form.download.message.cancelDownloadByUser=Descarga cancelada por el usuario.
form.download.message.failed=Fallidos
form.download.message.success=Exitosos
form.download.message.downloadIn=Archivo descargado en
form.download.message.error=Error al descargar el archivo
form.download.message.startingDownload=Iniciando la descarga
```

## Create a new language

Language translations are displayed with the following structure.



**Key property**

=

**Translation value**

To **create** a file with a new **language**, follow these steps:

1. Creates a new text document named **OKMBulkUploader-xxXX** with the **.properties** extension, where **xxXX** refers to the **language identifier** (ISO 639).

For example in the case of the Spanish language, it would be esES ( in English is enGB ), that means the file must be named **OKMBulkUploader-esES.properties**.



More information about [ISO 639](#).

2. Copy into the file created the example of the top of the Spanish translation. Each line of text it has sections, the "**Key property**" and "**Translation value**". The first one should not be changed and the second it refers to translated text and is what you should change.

For example:

```
# Configuration form
form.configuration.name=Configuration
form.configuration.language=Language
form.configuration.version=OpenKM Version
...
```

Replace by:

```
# Configuration form
form.configuration.name=Configuración
form.configuration.language=Idioma
form.configuration.version=OpenKM Versión
...
```

3. Save the file into **the installation folder**, located in: "C:\Program Files (x86)\OpenKM\OKMDownloadTool\" or the path you selected for installation.